

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|---|------|-----|------|--|--|---------------------|----------|------------------|------------|
| 1 | BRS | L2 | 6 | 1 and (distance or "D") near10 (user or "user's" or viewer) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:22 | | | 0 |
| 2 | BRS | L3 | 477 | (human near3 (color or colour)) with ((color or colour) near5(correct\$4 or match\$3 or adjust\$5)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:18 | | | 0 |
| 3 | BRS | L4 | 47 | 3 and (field near3 view\$3 or region\$2 near3 intrest or fied near3 angl\$2) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:34 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|---|------|-----|------|---|--|---------------------|----------|------------------|------------|
| 4 | BRS | L5 | 1 | 4 and (distance or "D") near10 (user or "user's" or viewer or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:39 | | | 0 |
| 5 | BRS | L6 | 1 | 4 and (distance or "D") near10 (user or "user's" or viewer or operator) and(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:34 | | | 0 |
| 6 | BRS | L7 | 47 | 3 and ((field near3 view\$3) or (region\$2 near3 intrest) or (fied near3 angl\$2)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:30 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|-----|------|---|--|---------------------|----------|------------------|--------|
| 7 | BRS | L8 | 1895 | (human near3 (color or colour)) and ((color or colour) near5(correct\$4 or match\$3 or adjust\$5)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:38 | | | 0 |
| 8 | BRS | L9 | 151 | 8 and ((field near3 view\$3) or (region\$2 near3 intrest) or (fied near3 angl\$2)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:13 | | | 0 |
| 9 | BRS | L10 | 8 | 9 and (distance or "D") near10 (user or "user's" or viewer or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:02 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|--------|-----|------|--|--|---------------------|----------|------------------|------------|
| 10 BRS | L11 | 153 | 8 and ((field near3 view\$3) or (region\$2 near3 intrest) or (filed near3 angl\$2)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 14:58 | | | 0 |
| 11 BRS | L12 | 8 | 11 and (distance or "D") near10 (user or "user's" or viewer or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:12 | | | 0 |
| 12 BRS | L13 | 21 | 9 and (distance or "D") near10 (user or "user's" or view\$3 or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:30 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|----|------|-----|------|--|--|---------------------|----------|------------------|------------|
| 13 | BRS | L14 | 2 | 9 and (human near5 visual near5 field) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:08 | | | 0 |
| 14 | BRS | L15 | 9 | 11 and (distance or "D") near10 (user or "user's" or viewer or operator) and(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:54 | | | 0 |
| 15 | BRS | L16 | 0 | 9 and arithmetic same region\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:14 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|----|------|-----|-------|--|--|---------------------|----------|------------------|------------|
| 16 | BRS | L17 | 18 | 8 and arithmetic same region\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:22 | | | 0 |
| 17 | BRS | L18 | 12512 | 382/162,163,164,165,166,167 ;358/1.9,518,519,520,521,52 2,523;705/26;356/406;345/58 9,549,557,590,619.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:25 | | | 0 |
| 18 | BRS | L1 | 44 | (human near3 (color or colour)) with ((color or colour) near5(correct\$4 or match\$3 or adjust\$5)) same view\$3 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:26 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|--------|-----|------|---|--|---------------------|----------|------------------|--------|
| 19 BRS | L19 | 1054 | 18 and (human near7 (color or colour) or color near5 appearanc\$3) and ((color or colour) near5(correct\$4 or match\$3 or adjust\$5)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:29 | | | 0 |
| 20 BRS | L20 | 55 | 19 and ((field near3 view\$3) or (region\$2 near3 interest) or (field near3 angl\$2)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:30 | | | 0 |
| 21 BRS | L21 | 9 | 20 and (distance or "D") near10 (user or "user's" or view\$3 or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:37 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|----|------|-----|------|--|--|---------------------|----------|------------------|------------|
| 22 | BRS | L22 | 2 | 20 and differ\$6 near5 region\$1 same field near3 angl\$2 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:39 | | | 0 |
| 23 | BRS | L23 | 2 | 19 and differ\$6 near5 region\$1 same field near3 angl\$2 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:40 | | | 0 |
| 24 | BRS | L24 | 2 | 19 and differ\$6 near5 region\$1 same (field near3 (angl\$2 or view\$3)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:42 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|----|------|-----|------|--|--|---------------------|----------|------------------|------------|
| 25 | BRS | L25 | 1 | 19 and differe\$6 near5 region\$1 same (field near3 (angl\$2 or view\$3)) same arithmetic | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:43 | | | 0 |
| 26 | BRS | L26 | 24 | 19 and (distance or "D") near10 (user or "user's" or viewer or operator) same(document\$2 or monitor\$2 or display or imag\$2 or print\$3 near3 product) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/10/30 15:56 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Err ors |
|-------|-----|------|--|--|---------------------|----------|------------------|------------|
| 1 BRS | L1 | 38 | (pixel near3 (interest or subject)) with adjacent near3 pixel\$1 same neighbor\$3 near3 pixel\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:16 | | | 0 |
| 2 BRS | L2 | 25 | 1 and (arithmetic or matri\$3) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 09:32 | | | 0 |
| 3 BRS | L5 | 1 | 1 and (divid\$3 near3 adjacent near3 region\$2) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 09:36 | | | 0 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|---|------|-----|-------|--|--|---------------------|----------|------------------|--------|
| 4 | BRS | L6 | 1 | 1 and (divid\$3 near15 adjacent near3 region\$2) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 09:36 | | | 0 |
| 5 | BRS | L7 | 9 | 1 and (second near3 pixel near3 (interest or subject)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:19 | | | 0 |
| 6 | BRS | L8 | 17248 | 382/162,163,164,165,166,167 ,199,195,218,232,233,237,26 6;358/1.9,518,519,520,521,5 22,523;705/26;356/406;345/5 89,549,557,590,619.ccls. | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:16 | | | 0 |

| Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition | Errors |
|-------|-----|------|---|--|---------------------|----------|------------------|--------|
| 7 BRS | L9 | 8 | 8 and (pixel near3 (interest or subject)) with adjacent near3 pixel\$1 same neighbor\$3 near3 pixel\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:18 | | | 0 |
| 8 BRS | L10 | 16 | 8 and (pixel near3 (interest or subject or target)) with adjacent near3 pixel\$1 same neighbor\$3 near3 pixel\$1 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:19 | | | 0 |
| 9 BRS | L11 | 9 | 10 and (second near3 pixel near3 (interest or subject or target)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2004/11/01 10:19 | | | 0 |